

CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Jiangsu Sunport Power Corp., Ltd.
No.20, Xishi Road, Xinwu District
Wuxi City, Jiangsu Province, 214028
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:

Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline MWT Solar Cells

Tested according to: IEC 61215-1:2016;
IEC 61215-1-1:2016;
IEC 61215-2:2016;
IEC 61730-1:2016;
IEC 61730-2:2016.
Registered No.: 44 780 19 406749 - 119
Manufacturer: see Annex 1
Test Report No.: 492011112.001
File No.: SHV01050/18-02



Valid from: 2019-04-30
Valid until: 2024-04-29



TÜV NORD CERT GmbH
Certification Body
Consumer Products



Essen, 2019-04-30

Please also pay attention to the information stated overleaf.

Manufacturer:

Manufacturer 1: **Nanjing Sunport Power New Energy Co., Ltd.**
No.28-10, Lanhua Road, Qiaolin Industrial Park, Pukou District,
Nanjing City, Jiangsu Province, 211806,P.R. China

Factory inspection report no.: 862010246.005

Manufacturer 2: **Xuzhou Sunport Power Co. Ltd.**
No.1, Fumin Road, High-tech Industrial Development Zone
Pizhou, Jiangsu Province, P.R. China

Factory inspection report no.: 862010357.002

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types:

PV module with 6" Mono-crystalline MWT Solar Cells:

72 cells: SPPXXMH7H(XXX=345-385W, in increments of 5)

SPPXXM72H(XXX=345-395W, in increments of 5)

60 cells: SPPXXMH6H(XXX=285-320W, in increments of 5)

SPPXXM60H(XXX=285-330W, in increments of 5)

SPPXXN60H(XXX=310-340W, in increments of 5)

54 cells: SPPXXM54H(XXX=255-295W, in increments of 5)

SPPXXN54H(XXX=275-305W, in increments of 5)

36 cells: SPPXXM36H(XXX=170-195W, in increments of 5)

SPPXXN36H(XXX=185-200W, in increments of 5)

Maximum system voltage: 1500V

Fuse rating: 15A

Electrical protection class: Class II

Pollution degree: 1

Material group: I

Design load: 3600Pa / 2400Pa (downward / upward)

Safety factors: 1.5

Fire safety class: Class C

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products